



# TRUCK CAP DIMENSIONS

listed below are the approximate dimensions of LEER Truck Caps. Models are measured from the top of the bed rail to the area indicated. Dimensions are rounded to the nearest inch and are approximate. **MEASUREMENTS ARE SHOWN IN INCHES.** Revision Date: October 18, 2016.

FORD	Model Code	Highest Outside Point	Highest Inside Point	Door Opening	Tailgate opening	Bed Depth & Door Opening	FORD	Model Code	Highest Outside Point	Highest Inside Point	Door Opening	Tailgate opening	Bed Depth & Door Opening		
56FF15	100XQ	22	20	15	64 1/4	36	8PN	100XL/XR	25	23	18	63 1/2	38		
	100XL/XR	22	20	15	64 1/4	36		100R	25	23	18	63 1/2	38		
	100R	22	20	16	64 1/4	37		122	32	30	25	63 1/2	45		
	180XL/XR	26	24	18	64 1/4	39		8PNSC	100XL/XR	25	23	18	63 1/2	38	
	180	26	24	20 1/2	64 1/4	41 1/2		83PN	100R	25	23	18	63 1/2	38	
66FF15	100XQ	22	20	15	64 1/4	36	83PNSC	100XQ	25	23	17	63 1/2	37		
	100XL/XR	22	20	15	64 1/4	36		100XL/XR	25	23	18	63 1/2	38		
	100R	22	20	16	64 1/4	37		100R	25	23	18	63 1/2	38		
	180XL	26	24	18	64 1/4	39		180	29	23	21	63 1/2	41		
	180	26	24	20 1/2	64 1/4	41 1/2		122	32	29	25	63 1/2	45		
	122	30	26.5	23.75	64 1/4	44 3/4		83F	100	25	24	18	63 1/2	38	
	80FF15	100XQ	22	20		64 1/4				8F	100	26	24	19	63 1/2
100XL/XR		22	20	15	64 1/4	36	83PNFSSC	100R	26	24	19	63 1/2	39		
100R		22	20	16	64 1/4	37	56FST	100XQ				52 1/8			
180		26	24	20 1/2	64 1/4	41 1/2	100R				52 1/8				
122		30	26.5	23.75	64 1/4	44 3/4	52EST	100XQ	22	17	13	52 1/8	31		
56FF09	100XQ	22	20	14	64 5/16	36	65FSD(S)	100XQ	27	25	20	63 1/2	43		
	100XL/XR	22	20	16	64 5/16	38		100XL/XR	27	25	20	63 1/2	42		
	100R	22	20	16	64 5/16	38		100R	27	25	21	63 1/2	44		
	180	26	24	19	64 5/16	41		180	31	28	24	63 1/2	46		
	122	30	27	24	64 5/16	46		122	34	31	27	63 1/2	50		
66FF09	100XQ	22	20	14	64 5/16	36	8FSD(S)	100XQ	27	25	20	63 1/2	43		
	100XL/XR	22	20	16	64 5/16	38		100XL/XR	27	25	21	63 1/2	44		
	100R	22	20	16	64 5/16	38		100R	27	25	22	63 1/2	45		
	180	26	23	19	64 5/16	41		180	31	28	24	63 1/2	46		
	122	30	27	24	64 5/16	46		122	33	31	27	63 1/2	50		
80FF09	100XQ	22	20	14	64 5/16	36	83F350	100XQ	27	25	20	63 1/2	43		
	100XL/XR	22	20	16	64 5/16	38		100XL/XR	27	25	21	63 1/2	44		
	100R	22	20	16	64 5/16	38		100R	27	25	22	63 1/2	45		
	180	26	23	19	64 5/16	41		180	31	28	24	63 1/2	46		
	122	30	27	24	64 5/16	46		122	33	31	27	63 1/2	50		
55FF	100XQ	22	20	14	64 1/4	36 1/2	8F350	100XQ	27	25	20	63 1/2	43		
	100XL/XR	22	20	16	64 1/4	38 1/2		100XL/XR	27	25	21	63 1/2	44		
	100R	22	20	16	64 1/4	38 1/2		100R	27	25	21	63 1/2	44		
	180	26	24	19	64 1/4	41 1/2		180	31	28	24	63 1/2	46		
	122	30	27	24	64 1/4	46 1/2		122	33	31	27	63 1/2	50		
65FF	100XQ	22	20	14	64 1/4	36 1/2	75R	100XQ	24	22	16	54 1/8	34 1/2		
	100XL/XR	22	20	16	64 1/4	38 1/2		100XL/XR	24	22	17	54 1/8	35 1/2		
	100R	22	20	16	64 1/4	38 1/2		100R	24	22	16	54 1/8	44 1/2		
	180	26	23	19	64 1/4	41 1/2		100	24	22	16	54 1/8	44 1/2		
	122	30	27	24	64 1/4	46 1/2		180	27	24	20	54 1/8	38 1/2		
65FFS	100R	24	20	16	52	36 1/2	75RS	100	24	22	16	54 1/8	34 1/2		
	8FF	100XL/XR	22	20	16	64 1/4		38 1/2	69FS17	100XQ	25.5	25	16.5	64 1/4	38 1/4
		100R	22	20	16	64 1/4		38 1/2		100XL	25.5	24	16.5	64 1/4	38 1/4
		180	26	23	19	64 1/4		41 1/2		100R	25.5	24.5	19	64 1/4	40 3/4
		122	30	27	24	64 1/4		46 1/2		180	29	28	21.5	64 1/4	47
100R		24	20	16	52	36 1/2	122	34		32	25	64 1/4	47 1/2		
67PNCC	100XQ	25	23	17	52	36 1/2	80 FS17	100XQ	n/a	n/a	n/a	n/a	n/a		
	100R	25	23	18	52	38 1/2		100XL	25.5	24.5	16.5	64 1/4	38 1/4		
								100R	25.5	24.5	19	64 1/4	40 3/4		
							180	29	28	21.5	64 1/4	47			
							122	34	32	21.5	64 1/4	47 1/2			

LIVE LARGER

A Member of Truck Accessories Group | 28858 Ventura Drive | Elkhart, 46517



# TRUCK CAP DIMENSIONS

listed below are the approximate dimensions of LEER Truck Caps. Models are measured from the top of the bed rail to the area indicated. Dimensions are rounded to the nearest inch and are approximate. **MEASUREMENTS ARE SHOWN IN INCHES.** Revision Date: October 18, 2016.

DODGE	Model Code	Highest Outside Point	Highest Inside Point	Door Opening	Tailgate opening	Bed Depth & Door Opening	DODGE	Model Code	Highest Outside Point	Highest Inside Point	Door Opening	Tailgate opening	Bed Depth & Door Opening
57DR09	100XQ	23	21	15	63 3/8	35 1/2	65DT	100XL/XR	23	21	17	63	36
	100XL/XR	23	21	16	63 3/8	36 1/2		100R	23	21	17	63	36
	100R	23	21	19	63 3/8	39 1/2		100	23	21	17	63	36
	180	27	24	20	63 3/8	40 1/2		122	31	29	26	63	41
64DR(QC)09	100XQ	23	21	15	63 3/8	35 1/2	8DT	100XL/XR	23	21	17	63	36
	100XL/XR	23	21	16	63 3/8	36 1/2		100R	23	21	17	63	36
	100R	23	21	19	63 3/8	39 1/2		122	31	29	26	63	41
	180	27	24	20	63 3/8	40 1/2		81DD	100XQ	20	18	14	57 1/2
	122	32	29	28	63 3/8	48 1/2	100XL/XR		20	18	15	57 1/2	32 1/2
80DR09	100R	23	21	19	63 3/8	39 1/2	100R		20	18	15	57 1/2	32 1/2
	122	32	30	28	63 3/8	48 1/2	180	25	23	20	57 1/2	37 1/2	
65DR	100XQ	24	22	18	63 1/2	37	122				57 1/2		
	100XL/XR	24	22	18	63 1/2	37	67DD	100XQ	20	18	14	57 1/2	31 1/2
	100R	24	22	17	63 1/2	36		100XL/XR	20	18	15	57 1/2	32 1/2
	180	31	28	21	63 1/2	40		100R	20	18	15	57 1/2	32 1/2
	122	32	29	26	63 1/2	45		180	25	23	20	57 1/2	37 1/2
8DR	100XQ	24	22	13	63 1/2	32	63DK	100XL/XR	21	19	15	57 1/2	31 1/2
	100XL/XR	24	22	18	63 1/2	37		100R	21	19	17	57 1/2	32 1/2
	100R	24	22	17	63 1/2	36	81DK	100XL/XR	21	19	15	57 1/2	31 1/2
	180	31	28	21	63 1/2	40		100R	21	19	17	57 1/2	32 1/2
	122	34	31	26	63 1/2	45		122				57 1/2	

LIVE LARGER

A Member of Truck Accessories Group | 28858 Ventura Drive | Elkhart, 46517



# TRUCK CAP DIMENSIONS

listed below are the approximate dimensions of LEER Truck Caps. Models are measured from the top of the bed rail to the area indicated. Dimensions are rounded to the nearest inch and are approximate. **MEASUREMENTS ARE SHOWN IN INCHES.** Revision Date: October 18, 2016.

GM	Model Code	Highest Outside Point	Highest Inside Point	Door Opening	Tailgate opening	Bed Depth & Door Opening	GM	Model Code	Highest Outside Point	Highest Inside Point	Door Opening	Tailgate opening	Bed Depth & Door Opening
52GC15	100XL/XR	18	17	12	55 3/4	30	8GSO	100XL/XR	22	20	17	61 7/8	37
	100R	18	17	13	55 3/4	31		100R	22	20	18	61 7/8	39
	180	22	20	17	55 3/4	35		180	24	22	20	61 7/8	40
62GCC15	100XL/XR	18	17	12	55 3/4	30	8GSOCC	122	31	29	25	61 7/8	49
	100R	18	17	13	55 3/4	31		100XL/XR	22	20	17	61 7/8	37
	180	22	20	17	55 3/4	35		100R	22	20	18	61 7/8	39
	180XL/XR	22	20	16	55 3/4	34	180	24	22	20	61 7/8	40	
58GS14	100XQ	22	20	16	62	38	122	31	29	25	61 7/8	49	
	100XL/XR	22	20	15	62	37	8GSD	100XL/XR	22	20	17	62 1/8	37
	100R	22	20	18	62	40		100R	22	20	18	62 1/8	39
	180	28	26	24	62	46		180	24	22	20	62 1/8	40
	180XL/XR	28	26	21	62	43	122	31	29	25	62 1/8	49	
66GS14	100XQ	22	20	16	62	38	8GSDCC	100XL/XR	22	20	17	62 1/8	37
	100XL/XR	22	20	15	62	37		100R	22	20	18	62 1/8	39
	100R	22	20	18	62	40		180	24	22	20	62 1/8	40
	180	28	26	24	62	46		122	31	29	25	62 1/8	49
	180XL/XR	28	26	21	62	43	58GSA	100R	22	20	18	61 7/8	39
122	31	29	25	62	50	58GSACC		100XQ	22	20	15	61 7/8	36
80GS14	100XL/XR	22	20	15	62		37	100XL/XR	22	20	17	61 7/8	38
	100R	22	20	18	62		40	100R	22	20	18	61 7/8	39
	180	28	26	24	62	46	180	25	23	20	61 7/8	40	
	122	31	29	25	62	50	65GSA	100XQ	22	20	15	61 7/8	36
58GSO	100R	22	20	18	62	39		100XL/XR	22	20	17	61 7/8	38
	100XQ	22	20	15	61 7/8	36		100R	22	20	18	61 7/8	39
58GSOCC	100XL/XR	22	20	17	61 7/8	38		180	25	23	20	61 7/8	40
	100R	22	20	18	61 7/8	39	122	30	28	27	61 7/8	48	
	180	24	22	20	61 7/8	41	65GSACC	100XQ	22	20	15	61 7/8	36
65GSO	100XQ	22	20	15	61 7/8	36		100XL/XR	22	20	17	61 7/8	38
	100XL/XR	22	20	17	61 7/8	38		100R	22	20	18	61 7/8	39
	100R	22	20	18	61 7/8	39	180	25	23	29	61 7/8	40	
	180	24	22	20	61 7/8	41	8GSA	100XL/XR	22	20	17	61 7/8	38
122	31	29	25	61 7/8	49	100R		22	20	18	61 7/8	39	
65GSOCC	100XQ	22	20	15	61 7/8	36		180	25	23	20	61 7/8	40
	100XL/XR	22	20	17	61 7/8	38		122	30	28	25	61 7/8	48
	100R	22	20	18	61 7/8	39	8GSACC	100XL/XR	22	20	17	61 7/8	38
180	24	22	20	61 7/8	41	100R		22	20	18	61 7/8	39	
						180		25	23	20	61 7/8	40	
						122		30	28	25	61 7/8	48	

LIVE LARGER

A Member of Truck Accessories Group | 28858 Ventura Drive | Elkhart, 46517



# TRUCK CAP DIMENSIONS

listed below are the approximate dimensions of LEER Truck Caps. Models are measured from the top of the bed rail to the area indicated. Dimensions are rounded to the nearest inch and are approximate. **MEASUREMENTS ARE SHOWN IN INCHES.** Revision Date: October 18, 2016.

GM	Model Code	Highest Outside Point	Highest Inside Point	Door Opening	Tailgate opening	Bed Depth & Door Opening
8GMT	100XQ	23	21	16	61 7/8	35 1/2
	100XL/XR	23	21	17	61 7/8	37 1/2
	100R	23	21	18	61 7/8	37 1/2
	180	26	24	21	61 7/8	42 1/2
	122	31	29	25	61 7/8	44 1/2
65GMT	100XQ	23	21	16	61 7/8	35 1/2
	100XL/XR	23	21	17	61 7/8	36 1/2
	100R	23	21	18	61 7/8	37 1/2
	180	26	24	21	61 7/8	42 1/2
	122	31	29	25	61 7/8	44 1/2
58GMT	100XQ	23	21	16	61 7/8	35 1/2
	100XL/XR	23	21	17	61 7/8	36 1/2
	100R	23	21	18	61 7/8	37 1/2
	180	26	24	21	61 7/8	42 1/2
65GMTSS	100R	23	21	18	61 7/8	37 1/2
65GMTCC	100XQ	23	21	16	61 7/8	35 1/2
	100XL/XR	23	21	17	61 7/8	36 1/2
	100R	23	21	18	61 7/8	37 1/2
	180	26	24	21	61 7/8	42 1/2
	122	31	29	25	61 7/8	44 1/2

NISSAN	Model Code	Highest Outside Point	Highest Inside Point	Door Opening	Tailgate opening	Bed Depth & Door Opening
56NT13	100XQ	22	20	15	64	35
	100XL/XR	22	20	17	64	37
	100R	22	20	17	64	37
	180	25	23	19	64	39
66NT13	100XQ	22	20	15	64	35
	100XL/XR	22	20	17	64	37
	100R	22	20	17	64	37
	180	25	23	19	64	39
50NF13	100XQ	23	21	16	59 1/8	34
	100XL/XR	23	21	17	59 1/8	35
	100R	23	21	18	59 1/8	36
	180	26	24	20	59 1/8	38
61NF13	100XQ	23	21	16	59 1/8	34
	100XL/XR	23	21	17	59 1/8	35
	100R	23	21	18	59 1/8	35
	180	26	24	20	59 1/8	38
55NT	100XQ	22	20	15	64	35
	100XL/XR	22	20	17	64	37
	100R	22	20	17	64	37
	180	25	23	19	64	39
65NT	100XQ	22	20	15	64	35
	100XL/XR	22	20	17	64	37
	100R	22	20	17	64	37
	180	25	23	19	64	39
7NT	100XQ	22	20	15	64	35
	100R	22	20	17	64	37
8NT	100R	22	20	17	64	37

GM	Model Code	Highest Outside Point	Highest Inside Point	Door Opening	Tailgate opening	Bed Depth & Door Opening
8CK/8CKEC	100XL/XR	22	21	16	62 1/4	35 1/2
	100	22	21	18	62 1/4	37 1/2
	122	30	28	25	62 1/4	45 1/2
65CK/65CKEC	100XL/XR	22	21	16	62 1/4	35 1/2
	100	22	21	18	62 1/4	37 1/2
	122	30	28	25	62 1/4	45 1/2
76GC	100XQ	20	18	14	55 1/2	31
	100XL/XR	20	18	16	55 1/2	33
	100E	20	18	16	55 1/2	33
	180	24	23	18	55 1/2	35
	122	28	25	23	55 1/2	40
65GC	100XQ	20	18	14	55 1/2	31
	100XL/XR	20	18	16	55 1/2	33
	100E	20	18	16	55 1/2	33
	180	24	23	18	55 1/2	35
59SCC	100XQ	20	18	14	55 1/2	31
	100R	20	18	16	55 1/2	33
75S	100XQ	20	18	14	55 1/2	31

NISSAN / SUZUKI / Honda	Model Code	Highest Outside Point	Highest Inside Point	Door Opening	Tailgate opening	Bed Depth & Door Opening
62NF	100XQ	23	21	16	59 1/8	34
	100XL/XR	23	21	17	59 1/8	35
	100R	23	21	18	59 1/8	36
	180	26	24	20	59 1/8	38
76NF	100XQ	23	21	16	59 1/8	34
	100XL/XR	23	21	17	59 1/8	35
	100R	23	21	18	59 1/8	36
	180	26	24	20	59 1/8	38
58NFW	100XL					59
	100					59
75NKW	100R					59
58NF	100XL					59
75NK	100R					59
	122					59
52SE09	100XQ					59 1/8
	100XL/XR					59 1/8
	100R					59 1/8
64SE09	100XQ					59 1/8
	100XL/XR					59 1/8
	100R					59 1/8
59HR	100XQ	19	17	13	55 1/2	

LIVE LARGER

A Member of Truck Accessories Group | 28858 Ventura Drive | Elkhart, 46517



# TRUCK CAP DIMENSIONS

listed below are the approximate dimensions of LEER Truck Caps. Models are measured from the top of the bed rail to the area indicated. Dimensions are rounded to the nearest inch and are approximate. **MEASUREMENTS ARE SHOWN IN INCHES.** Revision Date: October 18, 2016.

TOYOTA	Model Code	Highest Outside Point	Highest Inside Point	Door Opening	Tailgate opening	Bed Depth & Door Opening
<b>56TT14</b>	100XQ	22	20	15	64	34 1/2
	100XL/XR	22	20	15	64	34 1/2
	100R	22	20	17	64	36 1/2
<b>66TTDC14</b>	100XQ	22	20	15	64	34 1/2
	100XL/XR	22	20	15	64	34 1/2
	100R	22	20	17	64	36 1/2
	180	25	23	20	64	39 1/2
<b>80TT14</b>	100R	22	20	17	64	36 1/2
<b>55TT</b>	100XQ	24	22	17	64	34
	100XL/XR	24	22	18	64	35
	100R	24	22	19	64	36
	180	26	24	21	64	39
<b>65TT</b>	100XQ	24	22	17	64	34
	100XL/XR	24	22	18	64	35
	100R	24	22	19	64	36
	180	26	24	21	64	39
	122				64	
<b>65TTDC</b>	100XQ	24	22	17	64	34
	100XL/XR	24	22	18	64	35
	100R	24	22	19	64	36
	180	26	24	21	64	39
	122				64	
<b>8TT</b>	100R	24	22	19	64	36
	180	26	24	21	64	39
	100XL/XR	24	22	18	60 7/8	35
<b>8TTDC</b>	100R	24	22	19	60 7/8	36
	180	26	24	21	60 7/8	39
	100XQ	24	22	17	60 7/8	34
<b>65TUNDC</b>	100XL/XR	24	22	18	60 7/8	35
	100R	24	22	19	60 7/8	39
	180	26	24	21	60 7/8	42
	100R					
<b>65TUNSS</b>	100R					
<b>52 TC16</b>	100XQ	20	18	13		32
	100XL	20	18	13		32
	100R	20	18	14		33
	180	23	22	17		36

TOYOTA	Model Code	Highest Outside Point	Highest Inside Point	Door Opening	Tailgate opening	Bed Depth & Door Opening
<b>8TUN</b>	100R	24	22	19	60 7/8	39
<b>65TUN</b>	100XQ	24	22	17	60 7/8	37
	100XL/XR	24	22	18	60 7/8	38
	100R	24	22	19	60 7/8	39
	100XQ	21	19	14	56 1/2	32
<b>77TC</b>	100XL/XR	21	19	15	56 1/2	33
	100R	21	19	16	56 1/2	34
	180	24	22	19	56 1/2	37
	122				56 1/2	
<b>77TCDC</b>	100XQ	21	19	14	56 1/2	32
	100XL/XR	21	19	15	56 1/2	33
	100R	21	19	16	56 1/2	34
	180	24	22	19	56 1/2	37
	122				56 1/2	
<b>77TCR</b>	100R	21	19	16	56 1/2	34
<b>64TCDC</b>	100XQ	21	19	14	56 1/2	32
	100XL/XR	21	19	15	56 1/2	33
	100R	21	19	16	56 1/2	34
	180	24	22	19	56 1/2	37
<b>75T</b>	100XQ				56 1/8	
	100R				56 1/8	
<b>75K</b>	100XQ	23	21	18	56 1/8	36
	100XL/XR	23	21	18	56 1/8	36
	100R	23	21	18	56 1/8	36
	122				56 1/8	
<b>63TCC</b>	100XQ				56 1/8	
	100R				56 1/8	
<b>8T</b>	122				60 7/8	
<b>65TEC</b>	122				60 7/8	
<b>56NT16</b>	100X	22	24	21		36
	100XR	22	21	17		38
<b>66NT16</b>	100R	22	21	17		38

LIVE LARGER

A Member of Truck Accessories Group | 28858 Ventura Drive | Elkhart, 46517